

Deutsche Akkreditierungsstelle GmbH

Anlage zur Akkreditierungsurkunde D-ML- 13315-01-01 nach DIN EN ISO 15189:2014

Gültigkeitsdauer: 25.07.2017 bis 24.07.2022

Ausstellungsdatum: 25.07.2017

Urkundeninhaber:

**Medizinisches Versorgungszentrum
DRK Blutspendedienst Frankfurt gGmbH
Sandhofstraße 1, 60528 Frankfurt**

Untersuchungen im Bereich:

Medizinische Laboratoriumsdiagnostik

Untersuchungsgebiet:

Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 6.3)

**Untersuchungsgebiet: Transfusionsmedizin
(Immungenetik und Transplantationsimmunologie gemäß Standards der
European Federation for Immunogenetics (EFI), Version 6.3)**

ACCREDITATION CATEGORIES

	Approved by EFI-Commissioner	
Renal and/or Pancreatic transplantation:		
Recipient typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Other solid organ transplantation:		
Recipient typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Haematopoietic stem cell transplantation (HSCT):		
Donor registry typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Related donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Unrelated donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cord Blood typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Chimaerism and engraftment monitoring	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Disease association studies	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Transfusion	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

ACCREDITATION TECHNIQUES TYPING

		Approved by EFI-Commissioner	
Class I typing by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry (HLA-B27)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
DNA low resolution	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
DNA high resolution	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
PCR-SSP	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
PCR-SSO	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
PCR-SBT	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Class II typing by:			
CDC	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
DNA low resolution	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
DNA high resolution	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
PCR-SSP	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
PCR-SSO	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
PCR-SBT	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
HNA typing:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
HPA typing:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	

ACCREDITATION TECHNIQUES ANTIBODIES

		Approved by EFI-Commissioner	
Antibody testing by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Bead array	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Antibody identification by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Bead array	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Cross-matching by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
HNA antibodies:		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
HPA antibodies:		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>