

# Deutsche Akkreditierungsstelle GmbH

## Anlage zur Akkreditierungsurkunde D-PL-17186-01-02 nach DIN EN ISO/IEC 17025:2018

**Gültig ab: 19.02.2020**

Ausstellungsdatum: 19.02.2020

Urkundeninhaber:

**PHOENIX TESTLAB GmbH**  
**Königswinkel 10, 32825 Blomberg**

Prüfungen in den Bereichen:

**Telekommunikation (TK), Elektromagnetische Verträglichkeit (EMV) und  
Elektromagnetische Felder (EMF)**

### Inhaltsverzeichnis

- 1 **Normen, die unter die Flexibilisierung des Akkreditierungsbereichs fallen**
  - 1.1 Funk
    - 1.1.1 Navigationsfunk
    - 1.1.2 Betriebs- und Bündelfunk
    - 1.1.3 Funkrufdienste
    - 1.1.4 Nichtöffentliche Funkanwendungen
    - 1.1.5 DECT
    - 1.1.6 Mobilfunk
  - 1.2 US-amerikanische Anforderungen siehe DAkKS Urkunde D-PL-17186-01-06
  - 1.3 Kanadische Anforderungen siehe DAkKS Urkunde D-PL-17186-01-05
  - 1.4 Japanische Anforderungen
  - 1.5 Australische / neuseeländische Anforderungen

verwendete Abkürzungen: siehe letzte Seite

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Innerhalb der mit \* gekennzeichneten Akkreditierungsbereiche ist dem Prüflaboratorium, ohne dass es einer vorherigen Information und Zustimmung der DAkkS bedarf, die Anwendung der hier aufgeführten genormten oder ihnen gleichzusetzenden Prüfverfahren mit unterschiedlichen Ausgabeständen gestattet.

Das Prüflaboratorium verfügt über eine aktuelle Liste aller Prüfverfahren im flexiblen Akkreditierungsbereich.

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
<b>1.1.1 Navigationsfunk*</b>			
TK	ETSI EN 300 152-1 V1.2.2 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime Emergency Position Indicating Radio Beacons (EPIRBs) intended for use on the frequency 121,5 MHz or the frequencies 121,5 MHz and 243 MHz for homing purposes only; Part 1: Technical characteristics and methods of measurement	Only chapter 8
TK	ETSI EN 300 152-2 V1.1.1 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime Emergency Position Indicating Radio Beacons (EPIRBs) intended for use on the frequency 121,5 MHz or the frequencies 121,5 MHz and 243 MHz for homing purposes only; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 152-3 V1.1.1 (2001-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime Emergency Position Indicating Radio Beacons (EPIRBs) intended for use on the frequency 121,5 MHz or the frequencies 121,5 MHz and 243 MHz for homing purposes only; Part 3: Harmonized EN covering essential requirements of article 3.3 (e) of the R&TTE Directive	Only chapter 5.3
EMC	ETSI EN 300 373-1 V1.4.1 (2013-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime mobile transmitters and receivers for use in the MF and HF bands; Part 1: Technical characteristics and methods of measurement	EMC Tests only

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 300 373-2 V1.2.1 (2009-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime mobile transmitters and receivers for use in the MF and HF bands; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	EMC Tests only
TK	ETSI EN 300 698-1 V1.4.1 (2009-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 698-2 V1.2.1 (2009-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 698 V2.1.1 (2016-08)	Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of the Directive 2014/53/EU	
TK	ETSI EN 300 718-1 V1.2.1 (2001-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Avalanche Beacons; Transmitter-receiver systems; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 718-1 V2.1.1 (2018-01)	Avalanche Beacons operating at 457 kHz; Transmitter-receiver systems; Part 1: Harmonised Standard for access to radio spectrum	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 718-2 V1.1.1 (2001-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Avalanche Beacons; Transmitter-receiver systems; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 718-2 V2.1.1 (2018-01)	Avalanche Beacons operating at 457 kHz; Transmitter-receiver systems; Part 2: Harmonised Standard for features for emergency services	Chapter 4.4 only
TK	ETSI EN 300 718-3 V1.2.1 (2004-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Avalanche Beacons; Transmitter-receiver systems; Part 3: Harmonized EN covering essential requirements of article 3.3e of the R&TTE Directive	
TK	ETSI EN 300 720-1 V1.3.2 (2007-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Ultra-High Frequency (UHF) on-board vessels communications systems and equipment; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 720-2 V1.2.1 (2007-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Ultra-High Frequency (UHF) on-board vessels communications systems and equipment; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 720 V2.1.1 (2017-01)	Ultra-High Frequency (UHF) on-board vessels communications systems and equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Modulation source for M1 / M2 and BER monitoring in digital mode has to provided externally

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 025-1 V1.5.2 (2013-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 301 025-2 V1.5.1 (2013-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 025 V2.2.1 (2017-03)	VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Harmonised Standard covering the essential requirements of articles 3.2 and 3.3(g) of Directive 2014/53/EU	
TK	ETSI EN 303 098-1 V1.2.1 (2014-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime low power personal locating devices employing AIS; Part 1: Technical characteristics and methods of measurement	Only Chapter 8 and 9
TK	ETSI EN 303 098-2 V1.2.1 (2014-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Maritime low power personal locating devices employing AIS; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 303 098 V2.1.1 (2016-05)	Maritime low power personal locating devices employing AIS; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Only Chapter 8 and 9

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 303 413 V1.1.1 (2017-06)	Satellite Earth Stations and Systems (SES); Global Navigation Satellite System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to 1 300 MHz and 1 559 MHz to 1 610 MHz frequency bands; harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK / EMC	EN 60945 (2002-10) IEC 60945 4 Edition (2002-08)	Maritime navigation and radiocommunication equipment and systems- General requirements Methods of testing and required test results	Only EMC Tests and Sections 6.1.1 - 6.1.5, 6.1.7, 6.2 - 6.4, 11, 13 - 15 can be performed
TK	IEC 61097-14 Edition 1.0 (2010-02)	Global maritime distress and safety system (GMDSS) - Part 14: AIS search and rescue transmitter (AIS-SART) - Operational and performance requirements, methods of testing and required test results	Only Chapter 7 can be performed
TK	IEC 61174 Edition 3.0, (2008-09)	Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results	Sections 6.1, 6.3, 6.7.3, 6.7.4, Annex L.2, L.3
TK	IEC 61174 Edition 4.0, (2015-08)	Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results	Sections 6.1, 6.3, 6.7.3, 6.7.4, Annex L.2, L.3
TK	IEC 61993-2 Edition 1 (2001-12)	Maritime navigation and radiocommunication equipment and systems- Automatic identification systems (AIS)  Part 2: Class A shipborne equipment fo the universal automatic identification system (AIS) – Operational and performance requirements methods of test and required test results	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	IEC 61993-2 Edition 2 (2012-10)	Maritime navigation and radiocommunication equipment and systems- Automatic identification systems (AIS)  Part 2: Class A shipborne equipment fo the universal automatic identification system (AIS) – Operational and performance requirements methods of test and required test results	clause 15 (Physical tests) and Annex D2 (DSC receiver tests) only
TK	IEC 62287-1 Edition 1 (2006-03)	Maritime navigation and radiocommunication equipment and systems – Class B Shipborne equipment of the automatic identification system (AIS)- Part 1 Carrier sense time division multiple access (CSTDMA) techniques	Chapter 10 (functional tests, Chapter 11 (Radio parameters) and Chapter 12, 13 and Annex C.3 (Protocol) only
TK	IEC 62287-1 Edition 2 (2010-11)	Maritime navigation and radiocommunication equipment and systems – Class B Shipborne equipment of the automatic identification system (AIS)- Part 1 Carrier sense time division multiple access (CSTDMA) techniques	Chapter 10 (functional tests, Chapter 11 (Radio parameters) and Chapter 12, 13 and Annex C.3 (Protocol) only
TK	IEC 62287-1 Edition 2.1 (2013-04)	Maritime navigation and radiocommunication equipment and systems – Class B Shipborne equipment of the automatic identification system (AIS)- Part 1 Carrier sense time division multiple access (CSTDMA) techniques	Chapter 10 (functional tests, Chapter 11 (Radio parameters) and Chapter 12, 13 and Annex C.3 (Protocol) only
TK	IEC 62287-1 Edition 3.0 (2017-04)	Maritime navigation and radiocommunication equipment and systems – Class B shipborne equipment of the automatic identification system (AIS) – Part 1: Carrier-sense time division multiple access (CSTDMA) techniques	Chapter 10 (functional tests, Chapter 11 (Radio parameters) and Chapter 12, 13 and Annex C.3 (Protocol) only

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	IEC 62287-2 Edition 2.0 (2017-04)	Maritime navigation and radiocommunication equipment and systems - Class B shipborne equipment of the automatic identification system (AIS) - Part 2: Self-organising time division multiple access (SOTDMA) techniques	Chapter 11 (Physical tests) and A.5 (DSC receiver tests) only
TK	IEC 62288 Edition 1.0, (2008-07)	Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required test results	Sections 4.1 - 4.4, 4.6, 4.10, 5.4.13, 5.5.1, 7.2, 7.4 - 7.6, Annex D.1.1, D.6, E.2
TK	IEC 62288 Edition 2.0, (2014-07)	Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required test results	Sections 4.1 - 4.6, 4.11, 5.5.14, 5.6.1, 7.2 - 7.6, Annex D.2.1, E.3, G1, G2
TK	IEC 62320-1 Edition 1.0 (2007-02)	Maritime navigation and radiocommunication equipment and systems - Automatic Identification Systems - Part 1: AIS Base Stations - Minimum operational and performance requirements - methods of test and required test results	Only Chapter 9 can be performed
TK	IEC 62320-1 Edition 1.1 (2009-05)	Maritime navigation and radiocommunication equipment and systems - Automatic Identification Systems - Part 1: AIS Base Stations - Minimum operational and performance requirements - methods of test and required test results	Only Chapter 9 can be performed
TK	IEC 62320-1 Edition 2.0 (2015-01)	Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) – Part 1: AIS Base Stations – Minimum operational and performance requirements, methods of testing and required test results	Only Chapter 9 can be performed



Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	IEC 62320-2 Edition 1.0 (2008-03)	Maritime navigation and radiocommunication equipment and systems - Automatic Identification Systems - Part 2: AIS AtoN Stations – Operational and performance requirements, methods of testing and required test results	Only Chapter 7 can be performed
TK	IEC 62320-2 Edition 2.0 (2016-10)	Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) – Part 2: AIS AtoN Stations – Operational and performance requirements, methods of testing and required test results	Only Chapter 7 can be performed
TK	IEC 62320-3 Edition 1.0 (2015-01)	Maritime navigation and radiocommunication equipment and systems - Automatic identification systems (AIS) - Part 3: Repeater stations - Minimum operational and performance requirements - Methods of test and required test results	Only Chapter 8 can be performed
TK	IEC 62388 Edition 1.0, (2007-12)	Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results	Sections 6.3.4, 6.4.1, 6.4.2, 6.4.4, 6.7, 6.9, 6.11.2 - 6.15, 11.1.9, Annex K.2
TK	IEC 62388 Edition 2.0, (2013-06)	Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results	Sections 7.3.2a; 12.1.2.2 g; 12.1.10.2; 15.3.2a; Annex I.1, I.3 (14,15), I.4 (a,b,e,f,g,h)
<b>1.1.2 Betriebs- und Bündelfunk *</b>			
TK	ETSI EN 300 086-1 V1.4.1 (2010-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment with an internal or external RF connector intended primarily for analogue speech; Part 1: Technical characteristics and methods of measurement	

Ausstellungsdatum: 19.02.2020

Gültig ab: 19.02.2020

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 086-2 V1.3.1 (2010-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment with an internal or external RF connector intended primarily for analogue speech; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 086 V2.1.2 (2016-08)	Land Mobile Service; Radio equipment with an internal or external RF connector intended primarily for analogue speech; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 300 113-1 V1.7.1 (2011-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land mobile service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 113-2 V1.5.1 (2011-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land mobile service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 113 V2.2.1 (2016-12)	Land Mobile Service; Radio equipment intended for the transmission of data (and/or speech) using constant or non-constant envelope modulation and having an antenna connector; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 219-1 V1.2.1 (2001-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment transmitting signals to initiate a specific response in the receiver; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 219-2 V1.1.1 (2001-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment transmitting signals to initiate a specific response in the receiver; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 219 V2.1.1 (2016-08)	Land Mobile Service; Radio equipment transmitting signals to initiate a specific response in the receiver; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
EMC	ETSI EN 300 279 V1.2.1 (1999-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for Private land Mobile Radio (PMR) and ancillary equipment (speech and/or non-speech)	
TK	ETSI EN 300 296-1 V1.4.1 (2013-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment using integral antennas intended primarily for analogue speech; Part 1: Technical characteristics and methodes of measurment	
TK	ETSI EN 300 296-2 V1.4.1 (2013-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment using integral antennas intended primarily for analogue speech; Part 2: Harmonized EN covering essential requirements under article 3.2 of R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 296 V2.1.1 (2016-03)	Land Mobile Service; Radio equipment using integral antennas intended primarily for analogue speech; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 300 394-1 V3.3.1 (2015-04)	Terrestrial Trunked Radio (TETRA); Conformance testing specification; Part 1: Radio	Secion 7.1.6 radiated spurious emissions only
TK	ETSI EN 301 166-1 V1.3.2 (2009-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 301 166-2 V1.2.3 (2009-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 166 V2.1.1 (2016-07)	Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
EMC	ETSI EN 301 489-5 V1.3.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech)	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-5 V2.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech) and Terrestrial Trunked Radio (TETRA); Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	
EMC	ETSI EN 301 489-18 V1.3.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 18: Specific conditions for Terrestrial Trunked Radio (TETRA) equipment	Special monitoring has to be provided externally
EMC	ETSI EN 301 843-1 V1.3.1 (2012-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 1: Common technical requirements	
EMC	ETSI EN 301 843-1 V2.1.1 (2016-03)	Electromagnetic Compatibility (EMC) standard for marine radio equipment and services; Harmonised Standard covering the essential requirements of article 3.1b of the Directive 2014/53/EU; Part 1: Common technical requirements	
EMC	ETSI EN 301 843-2 V1.2.1 (2004-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 2: Specific conditions for VHF radiotelephonetransmitters and receivers	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 843-2 V2.1.1 (2016-03)	Electromagnetic Compatibility (EMC) standard for marine radio equipment and services; Harmonised Standard covering the essential requirements of article 3.1b of the Directive 2014/53/EU; Part 2: Specific conditions for VHF radiotelephone transmitters and receivers	
EMC	ETSI EN 301 843-5 V1.1.1 (2004-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for marine radio equipment and services; Part 5: Specific conditions for MF/HF radiotelephone transmitters and receivers	
EMC	ETSI EN 301 843-5 V2.1.1 (2016-03)	Electromagnetic Compatibility (EMC) standard for marine radio equipment and services; Harmonised Standard covering the essential requirements of article 3.1b of the Directive 2014/53/EU; Part 5: Specific conditions for MF/HF radiotelephone transmitters and receivers	
TK	ETSI EN 302 561 V2.1.1 (2016-03)	Land Mobile Service; Radio equipment using constant or non-constant envelope modulation operating in a channel bandwidth of 25 kHz, 50 kHz, 100 kHz or 150 kHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Excluding chapter 7.9
TK	ETSI EN 303 405 V1.1.1 (2017-05)	Land Mobile Service; Analogue and Digital PMR446 Equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
<b>1.1.3 Funkrufdienste *</b>			
TK	ETSI EN 300 224-1 V1.3.1 (2001-01)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); On-site paging service; Part 1: Technical and functional characteristics, including test methods	
TK	ETSI EN 300 224-2 V1.1.1 (2001-01)	Electromagnetic compatibility and Radio spectrum Matters (ERM); On-site paging service; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 224 V2.1.1 (2017-06)	Land Mobile Service; Radio Equipment for use in a Paging Service operating within the frequency range 25 MHz - 470 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
EMC	ETSI EN 301 489-2 V1.2.1 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 2: Specific conditions for radio paging equipment	
EMC	ETSI EN 301 489-2 V1.3.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 2: Specific conditions for radio paging equipment	
EMC	ETSI EN 301 489-2 V2.1.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 2: Specific conditions for radio paging equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	
TK	TR BOS: Geräte für die digitale Funkalarmierung, Stand: 04 2011	Technische Richtlinie der Behörden und Organisation mit Sicherheitsaufgaben (BOS) Geräte für die digitale Funkalarmierung	Clause C3 only

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
<b>1.1.4 Nichtöffentliche Funkanwendungen*</b>			
TK	ETSI EN 300 135-1 V1.1.2 (2000-08)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Angle-modulated Citizens Band radio equipment (CEPT PR 27 Radio Equipment); Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 135-1 V1.2.1 (2008-02)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Angle-modulated Citizens Band radio equipment (CEPT PR 27 Radio Equipment); Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 135-2 V1.1.1 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Angle-modulated Citizens Band radio equipment (CEPT PR 27 Radio Equipment); Part 2: Harmonized EN covering essential requirements under article 3.2 of R&TTE Directive	
TK	ETSI EN 300 135-2 V1.2.1 (2008-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Angle-modulated Citizens Band radio equipment (CEPT PR 27 Radio Equipment); Part 2: Harmonized EN covering essential requirements under article 3.2 of R&TTE Directive	
TK	ETSI EN 300 220-1 V2.1.1 (2006-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 220-1 V2.3.1 (2010-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods	



Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 220-1 V2.4.1 (2012-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 220-1 V3.1.1 (2017-02)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 220-2 V2.1.1 (2006-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 220-2 V2.1.2 (2007-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 220-2 V2.3.1 (2010-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 220-2 V2.4.1 (2012-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 220-2 V3.1.1 (2017-02)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU for non specific radio equipment	
TK	ETSI EN 300 220-2 V3.2.1 (2018-06)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 2: Harmonised Standard for access to radio spectrum for non specific radio equipment	
TK	ETSI EN 300 220-3-1 V2.1.1 (2016-12)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 3-1: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Low duty cycle high reliability equipment, Social Alarms Equipment operating on designated frequencies (869,200 MHz to 869,250 MHz)	
TK	ETSI EN 300 220-3-2 V1.1.1 (2017-02)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 3-2: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Wireless alarms operating in designated LDC/HR frequency bands 868,60 MHz to 868,70 MHz, 869,25 MHz to 869,40 MHz, 869,65 MHz to 869,70 MHz	
TK	ETSI EN 300 220-4 V1.1.1 (2017-02)	Short Range Devices (SRD) operating in the frequency range 25 MHz to 1 000 MHz; Part 4: Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Metering devices operating in designated band 169,400 MHz to 169,475 MHz	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 328 V1.4.1 (2003-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband Transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using spread spectrum modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 328 V1.5.1 (2004-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 328 V1.6.1 (2004-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 328 V1.7.1 (2006-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 328 V1.8.1 (2012-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 328 V1.9.1 (2015-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 328 V2.1.1 (2016-11)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 330-1 V1.4.1 (2004-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 330-1 V1.5.1 (2006-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 330-1 V1.7.1 (2010-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 330-1 V1.8.1 (2015-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 330-2 V1.2.1 (2004-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 330-2 V1.3.1 (2006-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 330-2 V1.5.1 (2010-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 330-2 V1.6.1 (2015-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 330 V2.1.1 (2017-02)	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
EMC	ETSI EN 300 386 V1.5.1 (2010-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Telecommunication network equipment; Electromagnetic Compatibility (EMC) requirements	EMC Tests only

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 300 386 V1.6.1 (2012-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Telecommunication network equipment; Electromagnetic Compatibility (EMC) requirements	EMC Tests only
EMC	ETSI EN 300 386 V2.1.1 (2016-07)	Telecommunication network equipment; Electromagnetic Compatibility (EMC) requirements; Harmonised Standard covering the essential requirements of the Directive 2014/30/EU	
TK	ETSI EN 300 422-1 V1.3.2 (2008-03)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 422-1 V1.4.2 (2011-08)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 422-1 V1.5.1 (2015-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 422-1 V2.1.1 (2016-09)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 422-1 V2.1.2 (2017-01)	Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Audio PMSE up to 3 GHz; Part 1: Class A Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 422-2 V1.2.2 (2008-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 422-2 V1.4.2 (2011-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 422-2 V1.4.1 (2015-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless microphones in the 25 MHz to 3 GHz frequency range; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 422-2 V2.0.0 (2016-05)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 2: Class B Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 422-2 V2.1.1 (2017-02)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 2: Class B Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 422-3 V2.1.1 (2017-02)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 3: Class C Receivers; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 422-4 V2.1.1 (2017-05)	Wireless Microphones; Audio PMSE up to 3 GHz; Part 4: Assistive Listening Devices including personal sound amplifiers and inductive systems up to 3 GHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 300 433-1 V1.1.2 (2000-08)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Double Side Band (DSB) and/or Single Side Band (SSB) amplitude modulated citizen's band radio equipment; Part 1: Technical characteristics and methods of measurement	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 433-1 V1.1.3 (2000-12)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Double Side Band (DSB) and/or Single Side Band (SSB) amplitude modulated citizen's band radio equipment; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 433-1 V1.3.1 (2011-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Citizens' Band (CB) radio equipment; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 300 433-2 V1.1.1 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Double Side Band (DSB) and/or Single Side Band (SSB) amplitude modulated citizen's band radio equipment; Part 2: Harmonized EN covering essential requirements under article 3.2 of R&TTE Directive	
TK	ETSI EN 300 433-2 V1.1.2 (2000-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Land Mobile Service; Double Side Band (DSB) and/or Single Side Band (SSB) amplitude modulated citizen's band radio equipment; Part 2: Harmonized EN covering essential requirements under article 3.2 of R&TTE Directive	
TK	ETSI EN 300 433-2 V1.3.1 (2011-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Citizens' Band (CB) radio equipment; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 433 V2.1.1 (2016-05)	Citizens' Band (CB) radio equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 300 440-1 V1.5.1 (2009-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 1: Technical characteristics and test methods	



Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 300 440-1 V1.6.1 (2010-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 440-2 V1.3.1 (2009-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 440-2 V1.4.1 (2010-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 300 440 V2.1.1 (2017-03)	Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 300 440 V2.2.1 (2018-07)	Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard for access to radio spectrum	
TK	ETSI EN 300 454-1 V1.1.2 (2000-08)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Wide band audio links; Part 1: Technical characteristics and test methods	
TK	ETSI EN 300 454-2 V1.1.1 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wide band audio links; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 091-1 V1.2.1 (2004-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Radar equipment operating in the 76 GHz to 77 GHz range; Part 1: Technical characteristics and test methods for radar equipment operating in the 76 GHz to 77 GHz range	
TK	ETSI EN 301 091-1 V1.3.3 (2006-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Radar equipment operating in the 76 GHz to 77 GHz range; Part 1: Technical characteristics and test methods for radar equipment operating in the 76 GHz to 77 GHz range	
TK	ETSI EN 301 091-1 V2.1.0 (2016-04)	Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Ground based vehicular radar	
TK	ETSI EN 301 091-2 V1.2.2 (2005-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Radar equipment operating in the 76 GHz to 77 GHz range; Part 2: Harmonised EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 091-2 V1.3.2 (2006-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Radar equipment operating in the 76 GHz to 77 GHz range; Part 2: Harmonised EN covering essential requirements of article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 091-2 V2.1.0 (2016-04)	Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: Fixed infrastructure radar equipment	
TK	ETSI EN 301 091-3 V1.1.0 (2016-06)	Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 3: Railway/Road Crossings obstacle detection system applications	
TK	ETSI EN 301 357-1 V1.2.1 (2001-06)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Consumer radio microphones and in-ear monitoring systems operating in the CEPT harmonized band 863 MHz to 865 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 301 357-1 V1.3.1 (2006-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 301 357-1 V1.4.1 (2008-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 301 357-2 V1.2.1 (2001-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Consumer radio microphones and in-ear monitoring systems operating in the CEPT harmonized band 863 MHz to 865 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 357-2 V1.3.1 (2006-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 357-2 V1.4.1 (2008-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Cordless audio devices in the range 25 MHz to 2 000 MHz; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 357 V2.1.1 (2017-06)	Cordless audio devices in the range 25 MHz to 2 000 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
EMC	ETSI EN 301 489-1 V1.4.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements	
EMC	ETSI EN 301 489-1 V1.5.1 (2004-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements	
EMC	ETSI EN 301 489-1 V1.6.1 (2005-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements	
EMC	ETSI EN 301 489-1 V1.8.1 (2008-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-1 V1.9.2 (2011-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements	
EMC	ETSI EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU and the essential requirements of article 6 of the Directive 2014/30/EU; Part 1: Common technical requirements	
EMC	ETSI EN 301 489-1 V2.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU and the essential requirements of article 6 of Directive 2014/30/EU	
EMC	ETSI EN 301 489-3 V1.2.1 (2000-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz	
EMC	ETSI EN 301 489-3 V1.3.1 (2001-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-3 V1.4.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz	
EMC	ETSI EN 301 489-3 V1.6.1 (2013-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz	
EMC	ETSI EN 301 489-3 V2.1.1 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	
EMC	ETSI EN 301 489-4 V1.4.1 (2009-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links, Broadband Data Transmission System Base stations, ancillary equipment and services	Special monitoring has to be provided externally
EMC	ETSI EN 301 489-4 V2.1.1 (2012-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links and ancillary equipment	Special monitoring has to be provided externally

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-4 V3.1.1 (2017-02)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links and ancillary equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU	
EMC	ETSI EN 301 489-4 V3.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links and ancillary equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	
EMC	ETSI EN 301 489-9 V1.3.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices	
EMC	ETSI EN 301 489-9 V1.4.1 (2007-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices	
EMC	ETSI EN 301 489-9 V2.1.1 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 9: Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-10 V1.2.1 (2001-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 10: Specific conditions for First (CT1 and CT1+) and Second Generation Cordless Telephone (CT2) equipment	
EMC	ETSI EN 301 489-10 V1.3.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 10: Specific conditions for First (CT1 and CT1+) and Second Generation Cordless Telephone (CT2) equipment	
EMC	ETSI EN 301 489-13 V1.1.1 (2000-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 13: Specific conditions for Citizens' Band (CB) radio and ancillary equipment (speech and non-speech)	
EMC	ETSI EN 301 489-13 V1.2.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 13: Specific conditions for Citizens' Band (CB) radio and ancillary equipment (speech and non-speech)	
EMC	ETSI EN 301 489-15 V1.1.1 (2000-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 15: Specific conditions for commercially available amateur radio equipment	



Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-15 V1.2.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 15: Specific conditions for commercially available amateur radio equipment	
EMC	ETSI EN 301 489-15 V2.1.1 (2016-11)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 15: Specific conditions for commercially available amateur radio equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU	
EMC	ETSI EN 301 489-15 V2.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 15: Specific conditions for commercially available amateur radio equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	
EMC	ETSI EN 301 489-17 V1.3.2 (2007-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for 2,4 GHz wideband transmission systems and 5 GHz high performance RLAN equipment	
EMC	ETSI EN 301 489-17 V2.1.1 (2009-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for 2,4 GHz wideband transmission systems and 5 GHz high performance RLAN equipment	
EMC	ETSI EN 301 489-17 V2.2.1 (2012-09)	Title: Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment; Part 17: Specific conditions for Broadband Data Transmission Systems	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMC	ETSI EN 301 489-17 V3.1.1 (2017-02)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU	
EMC	ETSI EN 301 489-17 V3.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	
EMC	ETSI EN 301 489-28 V1.1.1 (2004-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 28: Specific conditions for wireless digital video links	Monitoring Equipment has to be provided by the applicant
EMC	ETSI EN 301 489-33 V1.1.1 (2009-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 33: Specific conditions for Ultra Wide Band (UWB) communications devices	Monitoring Equipment has to be provided by the applicant
EMC	ETSI EN 301 489-33 V2.1.1 (2017-02)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 33: Specific conditions for Ultra-Wide Band (UWB) devices; Harmonised Standard covering the essential requir	
EMC	ETSI EN 301 489-33 V2.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 33: Specific conditions for Ultra-Wide Band (UWB) devices; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 783-1 V1.1.1 (2000-09)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Commercially available amateur radio equipment; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 301 783-1 V1.2.1 (2010-07)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Commercially available amateur radio equipment; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 301 783-2 V1.1.1 (2000-09)	Electromagnetic compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Commercially available amateur radio equipment; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 783-2 V1.2.1 (2010-07)	Electromagnetic compatibility and Radio Spectrum Matters (ERM); Land Mobile Service; Commercially available amateur radio equipment; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 783 V2.1.1 (2016-01)	Commercially available amateur radio equipment; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 301 840-1 V1.1.1 (2001-06)	Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Digital radio microphones operating in the CEPT Harmonized band 1 785 MHz to 1 800 MHz; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 301 840-2 V1.1.1 (2001-06)	Electromagnetic compatibility and Radio Spectrum Matters (ERM); Digital radio microphones operating in the CEPT Harmonized band 1 785 MHz to 1 800 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 893 V1.4.1 (2007-07)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 893 V1.5.1 (2008-12)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 893 V1.6.1 (2011-11)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 893 V1.7.1 (2012-06)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 893 V1.8.1 (2015-03)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 301 893 V2.1.1 (2017-05)	5 GHz RLAN; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 302 064-1 V1.1.1 (2004-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless Video Links (WVL) operating in the 1,3 GHz to 50 GHz frequency band; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 302 064-1 V1.1.2 (2004-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless Video Links (WVL) operating in the 1,3 GHz to 50 GHz frequency band; Part 1: Technical characteristics and methods of measurement	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 064-2 V1.1.1 (2004-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Wireless Video Links (WVL) operating in the 1,3 GHz to 50 GHz frequency band; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 064 V2.1.1 (2016-09)	Wireless Video Links operating in the 1,3 GHz to 50 GHz frequency band; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 302 065 V1.1.1 (2008-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Ultra Wide and (UWB) technologies for communication purposes; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 065 V1.2.1 (2010-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Ultra Wide Band (UWB) technologies for communication purposes; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 065-1 V1.3.1 (2013-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band technology (UWB) for communications purposes; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Common technical requirements	
TK	ETSI EN 302 065-1 V2.1.1 (2016-11)	Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Requirements for Generic UWB applications	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 065-2 V1.1.1 (2013-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band technology (UWB) for communications purposes; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 2: Requirements for UWB location tracking	
TK	ETSI EN 302 065-2 V1.1.1 (2014-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 2: Requirements for UWB location tracking	
TK	ETSI EN 302 065-2 V2.1.1 (2016-11)	Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: Requirements for UWB location tracking	
TK	ETSI EN 302 065-3 V1.1.1 (2013-06)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band technology (UWB) for communications purposes; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 3: Requirements for UWB devices for road and rail vehicles	
TK	ETSI EN 302 065-3 V2.1.1 (2016-11)	Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 3: Requirements for UWB devices for ground based vehicular applications	
TK	ETSI EN 302 208-1 V1.2.1 (2008-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 1: Technical requirements and methods of measurement	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 208-1 V1.3.1 (2010-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 1: Technical requirements and methods of measurement	
TK	ETSI EN 302 208-1 V1.4.1 (2011-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 1: Technical requirements and methods of measurement	
TK	ETSI EN 302 208-1 V2.1.1 (2015-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Part 1: Technical requirements and methods of measurement	
TK	ETSI EN 302 208-2 V1.2.1 (2008-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 208-2 V1.3.1 (2010-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 208-2 V1.4.1 (2011-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W; Part 2: Harmonized EN covering essential requirements of Article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 208-2 V2.1.1 (2015-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 208 V3.1.1 (2016-11)	Radio Frequency Identification Equipment operating in the band 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Clause 5.5.8 excluded
TK	ETSI EN 302 288-1 V1.4.1 (2008-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 1: Technical requirements and methods of measurement	
TK	ETSI EN 302 288-1 V1.6.1 (2012-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 1: Technical requirements and methods of measurement	



Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 288-2 V1.3.2 (2009-01)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 288-2 V1.6.1 (2012-03)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices; Road Transport and Traffic Telematics (RTTT); Short range radar equipment operating in the 24 GHz range; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 291-1 V1.1.1 (2005-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Close Range Inductive Data Communication equipment operating at 13,56 MHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 302 291-2 V1.1.1 (2005-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Close Range Inductive Data Communication equipment operating at 13,56 MHz; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 372-1 V1.2.1 (2010-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Equipment for Detection and Movement; Tanks Level Probing Radar (TLPR) operating in the frequency bands 5,8 GHz, 10 GHz, 25 GHz, 61 GHz and 77 GHz; Part 1: Technical characteristics and test methods	Only for equipment which operates in the following bands 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 372-2 V1.2.1 (2011-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Equipment for Detection and Movement; Tanks Level Probing Radar (TLPR) operating in the frequency bands 5,8 GHz, 10 GHz, 25 GHz, 61 GHz and 77 GHz; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	Only for equipment which operates in the following bands 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz
TK	ETSI EN 302 372 V2.1.1 (2016-12)	Short Range Devices (SRD); Tank Level Probing Radar (TLPR) equipment operating in the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 302 435-1 V1.3.1 (2009-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra Wide Band technology (UWB); Building Material Analysis and Classification equipment applications operating in the frequency band from 2,2 GHz to 8,5 GHz; Part 1: Technical characteristics and test methods	
TK	ETSI EN 302 435-2 V1.3.1 (2009-12)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra Wide Band technology (UWB); Building Material Analysis and Classification equipment applications operating in the frequency band from 2,2 GHz to 8,5 GHz; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 500-1 V2.1.1 (2010-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz; Part 1: Technical characteristics and methods of measurement	
TK	ETSI EN 302 500-2 V2.1.1 (2010-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band (UWB) technology; Location Tracking equipment operating in the frequency range from 6 GHz to 9 GHz; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 502 V1.2.1 (2008-07)	Broadband Radio Access Networks (BRAN); 5,8 GHz fixed broadband data transmitting systems; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 502 V2.1.1 (2017-03)	Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 302 502 V2.1.3 (2017-07)	Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems; Harmonised Standard for access to radio spectrum	
TK	ETSI EN 302 536-1 V1.1.1 (2007-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 315 kHz to 600 kHz; Part 1: Technical characteristics and test methods	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 536-2 V1.1.1 (2007-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 315 kHz to 600 kHz; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 536 V2.1.0 (2017-08)	Short Range Devices (SRD); Radio equipment operating in the frequency range 315 kHz to 600 kHz for Ultra Low Power Animal Implantable Devices (ULP-AID) and associated peripherals; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 302 608 V1.1.1 (2008-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment for Eurobalise railway systems; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 609 V1.1.1 (2008-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment for Euroloop railway systems; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	
TK	ETSI EN 302 609 V2.1.1 (2016-12)	Short Range Devices (SRD); Radio equipment for Euroloop railway systems; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	
TK	ETSI EN 302 625 V1.1.1 (2009-07)	Electromagnetic compatibility and Radio spectrum Matters (ERM); 5 GHz Broad Band Disaster Relief applications (BBDR); Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 729-1 V1.1.2 (2011-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz; Part 1: Technical characteristics and test methods	Highest measurable Frequency Range is limited to 325 GHz
TK	ETSI EN 302 729-2 V1.1.2 (2011-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	Highest measurable Frequency Range is limited to 325 GHz
TK	ETSI EN 302 729 V2.1.1 (2016-12)	Short Range Devices (SRD); Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Highest measurable Frequency Range is limited to 325 GHz
TK	ETSI EN 302 858-1 V1.3.1 (2013-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); Automotive radar equipment operating in the 24,05 GHz up to 24,25 GHz or 24,50 GHz frequency range; Part 1: Technical characteristics and test methods	Highest measurable Frequency Range is limited to 325 GHz
TK	ETSI EN 302 858-2 V1.3.1 (2013-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); Automotive radar equipment operating in the 24,05 GHz up to 24,25 GHz or 24,50 GHz frequency range; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive	Highest measurable Frequency Range is limited to 325 GHz

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 302 858 V2.1.1 (2016-12)	Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 24,05 GHz to 24,25 GHz or 24,05 GHz to 24,50 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Highest measurable Frequency Range is limited to 325 GHz
TK	ETSI EN 303 417 V1.1.1 (2017-09)	Wireless power transmission systems, using technologies other than radio frequency beam in the 19 - 21 kHz, 59 - 61 kHz, 79 - 90 kHz, 100 - 300 kHz, 6 765 - 6 795 kHz ranges; harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	
TK	ETSI EN 303 883 V1.1.1 (2016-09)	Short Range Devices (SRD) using Ultra Wide Band (UWB); Measurement Techniques	
EMF	EN 50364: 2010	Limitation of human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications	
EMF	EN 50371: 2002	Generic standard to demonstrate the compliance of low power electronic and electrical apparatus with the basic restrictions related to human exposure to electromagnetic fields (10 MHz – 300 GHz) – General public	
EMF	EN 50385: 2002	Product standard to demonstrate the compliance of radio base stations and fixed terminal stations for wireless telecommunication systems with the basic restrictions or the reference levels related to human exposure to radio frequency electromagnetic fields (110 MHz - 40 GHz) - General public	
EMF	EN 62311: 2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz – 300 GHz) (IEC 62311:2007, modified)	SAR measurements are excluded

**Anlage zur Akkreditierungsurkunde D-PL-17186-01-02**

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMF	EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz) IEC 62479:2010 (Modified)	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
<b>1.1.5 DECT *</b>			
TK	ETSI EN 301 406 V1.5.1 (2003-07)	Digital Enhanced Cordless Telecommunications (DECT); Harmonized EN for Digital Enhanced Cordless Telecommunications (DECT) covering essential requirements under article 3.2 of the R&TTE Directive; Generic radio	Clause 5.3.6.5 + 5.3.7.7 (Spurious Emissions) can be performed
TK	ETSI EN 301 406 V2.1.1 (2009-07)	Digital Enhanced Cordless Telecommunications (DECT); Harmonized EN for Digital Enhanced Cordless Telecommunications (DECT) covering essential requirements under article 3.2 of the R&TTE Directive; Generic radio	Clause 5.3.6.5 + 5.3.7.7 (Spurious Emissions) can be performed
TK	ETSI EN 301 406 V2.2.2 (2016-09)	Digital Enhanced Cordless Telecommunications (DECT); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Clause 4.5.6.5 + 4.5.7.7 + 5.3.6.5 + 5.3.7.7 (Spurious Emissions) can be performed
EMV	ETSI EN 301 489-6 V1.2.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment	
EMV	ETSI EN 301 489-6 V1.3.1 (2008-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment	
EMV	ETSI EN 301 489-6 V1.4.1 (2015-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment	



Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMV	ETSI EN 301 489-6 V2.2.0 (2017-03)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU	
<b>1.1.6 Mobilfunk*</b>			
EMV	ETSI EN 301 489-7 V1.2.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 7: Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)	
EMV	ETSI EN 301 489-7 V1.3.1 (2005-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 7: Specific conditions for mobile and portable radio and ancillary equipment of digital cellular radio telecommunications systems (GSM and DCS)	
EMV	ETSI EN 301 489-8 V1.1.1 (2000-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 8: Specific conditions for GSM base stations	Monitoring equipment has to be provided by the applicant
EMV	ETSI EN 301 489-8 V1.2.1 (2002-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 8: Specific conditions for GSM base stations	Monitoring equipment has to be provided by the applicant
EMV	ETSI EN 301 489-23 V1.3.1 (2007-08)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 23: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA) Base Station (BS) radio, repeater and ancillary equipment	Monitoring Equipment has to be provided by the applicant

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMV	ETSI EN 301 489-23 V1.5.1 (2011-11)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 23: Specific conditions for IMT-2000 CDMA, Direct Spread (UTRA and E-UTRA) Base Station (BS) radio, repeater and ancillary equipment	Monitoring Equipment has to be provided by the applicant
EMV	ETSI EN 301 489-24 V1.3.1 (2007-09)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 24: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA) for Mobile and portable (UE) radio and ancillary equipment	Monitoring Equipment has to be provided by the applicant
EMV	ETSI EN 301 489-24 V1.5.1 (2010-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 24: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA and E-UTRA) for Mobile and portable (UE) radio and ancillary equipment	Monitoring Equipment has to be provided by the applicant
EMV	ETSI EN 301 489-34 V1.1.1 (2010-10)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 34: Specific conditions for External Power Supply (EPS) for mobile phones	
EMV	ETSI EN 301 489-34 V1.3.1 (2012-01)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 34: Specific conditions for External Power Supply (EPS) for mobile phones	
EMV	ETSI EN 301 489-34 V1.4.1 (2013-05)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 34: Specific conditions for External Power Supply (EPS) for mobile phones	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
EMV	ETSI EN 301 489-34 V2.1.1 (2017-04)	Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 34: Specific conditions for External Power Supply (EPS) for mobile phones; Harmonised Standard covering the essential requirements of article 6 of Directive 2014/30/EU	
TK	ETSI EN 301 511 V9.0.2 (2003-03)	Global System for Mobile communications (GSM); Harmonized EN for mobile stations in the GSM 900 and GSM 1800 bands covering essential requirements under article 3.2 of the R&TTE directive (1999/5/EC)	Only Chapter 5.2.12 - 5.2.19 can be performed
TK	ETSI EN 301 511 V12.1.1 (2015-06)	Global System for Mobile communications (GSM); Harmonised EN for mobile stations in the GSM 900 and GSM 1800 bands covering essential requirements under article 3.2 of the R&TTE directive (1999/5/EC)	Only Spurious Emissions testing in chapters 4.2. and 5.3
TK	ETSI EN 301 511 V12.5.1 (2017-03)	Global System for Mobile communications (GSM); Mobile Stations (MS) equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	Only Spurious Emissions testing in chapters 4.2. and 5.3
TK	ETSI EN 301 908-1 V4.2.1 (2010-03)	IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements	
TK	ETSI EN 301 908-1 V5.2.1 (2011-05)	IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements	
TK	ETSI EN 301 908-1 V6.2.1 (2013-04)	IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements	
TK	ETSI EN 301 908-1 V7.1.1 (2015-03)	IMT cellular networks; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive; Part 1: Introduction and common requirements	

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI EN 301 908-1 V11.1.1 (2016-07)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements	
TK	ETSI EN 302 480 V1.1.2 (2008-04)	Electromagnetic compatibility and Radio spectrum Matters (ERM); Harmonized EN for the GSM onboard aircraft system covering the essential requirements of Article 3.2 of the R&TTE Directive	Only Chapter 5.2.3 and 5.2.4 can be performed
TK	ETSI EN 302 480 V2.1.1 (2016-07)	Mobile Communication On Board Aircraft (MCOBA) systems; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU	Only Spurious Emissions testing in chapters 4.2. and 5.2
TK	ETSI EN 302 480 V2.1.2 (2017-02)	Mobile Communication On Board Aircraft (MCOBA) systems; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU	Only Spurious Emissions testing in chapters 4.2. and 5.2
TK	ETSI TS 151 010-1 V4.9.0 (2002-07)	Digital celular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification (3GPP TS 51.010-1 version 5.2.1 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V5.2.1 (2003-02)	Digital celular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification (3GPP TS 51.010-1 version 5.2.1 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V5.5.0 (2003-09)	Digital celular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification (3GPP TS 51.010-1 version 5.5.0 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V5.7.0 (2004-02)	Digital celular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 5.7.0 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
TK	ETSI TS 151 010-1 V5.8.0 (2004-05)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 5.8.0 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V5.9.0 (2004-07)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 5.9.0 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V5.10.0 (2004-09)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 5.10.0 Release 5)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V7.0.1 (2006-02)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 7.0.1 Release 7)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V8.1.0 (2009-05)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 8.1.0 Release 8)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V9.5.0 (2011-08)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 9.5.0 Release 9)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V9.7.0 (2012-02)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 9.7.0 Release 9)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V10.5.0 (2013-07)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 10.5.0 Release 10)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed

**Anlage zur Akkreditierungsurkunde D-PL-17186-01-02**

<b>Fachbereich</b>	<b>Norm oder Prüfverfahren / Ausgabestand</b>	<b>Titel der Norm oder des Prüfverfahrens</b>	<b>Einschränkungen zum Prüfverfahren</b>
TK	ETSI TS 151 010-1 V11.2.0 (2013-10)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 11.2.0 Release 11)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V12.8.0 (2016-05)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 12.8.0 Release 12)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed
TK	ETSI TS 151 010-1 V13.1.0 (2016-08)	Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification (3GPP TS 51.010-1 version 13.1.0 Release 13)	Only Chapter 12.1, 12.2, 12.3 and Chapter 12.4 can be performed

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
<b>1.4 Japanische Anforderungen*</b>			
TK	ARIB STD-T66 Version 2.1 2003-03	SECOND GENERATION LOW POWER DATA COMMUNICATION SYSTEM/ WIRELESS LAN SYSTEM	
TK	ARIB STD-T96 Ver. 1.0 2005-06	950MHZ-BAND TELEMETER, TELECONTROL AND DATA TRANSMISSION RADIO EQUIPMENT FOR SPECIFIED LOW POWER RADIO STATION	
TK	ARIB STD-T106 Version 1.0 2012-02	920MHZ-BAND RFID EQUIPMENT FOR PREMISES RADIO STATION	
TK	ARIB STD-T107 Version 1. 0 2012-07	920 MHZ-BAND RFID EQUIPMENT FOR SPECIFIED LOW POWER RADIO STATION	
TK	ARIB STD-T108 Version 1.0 2012-02	920MHZ-BAND TELEMETER, TELECONTROL AND DATA TRANSMISSION RADIO EQUIPMENT	
<b>1.5 Australische / neuseeländische Anforderungen *</b>			
AS/NZ 4268 (2008)	Radio equipment and systems - Short range devices – Limits and methods of measurement		
AS/NZ 4268 A1 (2010)	Radio equipment and systems - Short range devices – Limits and methods of measurement		
AS/NZ 4268 (2012)	Radio equipment and systems - Short range devices – Limits and methods of measurement		

Anlage zur Akkreditierungsurkunde D-PL-17186-01-02

Fachbereich	Norm oder Prüfverfahren / Ausgabestand	Titel der Norm oder des Prüfverfahrens	Einschränkungen zum Prüfverfahren
AS/NZ 4268 AMD 1 (2013)	Radio equipment and systems— Short range devices—Limits and methods of measurement		
AS/NZ 4268 (2017)	Radio equipment and systems - Short range devices - Limits and methods of measurement	Without testprocedures according to: ETSI EN 301 839 ETSI EN302 264 ETSI EN 302 537 ETSI EN 305 550	