

Deutsche Akkreditierungsstelle GmbH

Anlage zur Akkreditierungsurkunde D-ML-13153-01-01 nach DIN EN ISO 15189:2014

Gültig ab: 20.03.2020

Ausstellungsdatum: 20.03.2020

Urkundeninhaber:

**Zentrum für ambulante Medizin - Uniklinikum Jena gGmbH
Am Klinikum 1, 07747 Jena**

Praxis für Transfusionsmedizin

Labor TPI-Serologie

Labor TPI-Molekulargenetik

Untersuchungen im Bereich:

Medizinische Laboratoriumsdiagnostik

Untersuchungsgebiet:

Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 7.0)

Untersuchungsgebiet: Transfusionsmedizin
(Transfusionsmedizin (Immungenetik und Transplantationsimmunologie gemäß Standards der European Federation for Immunogenetics (EFI), Version 7.0)

ACCREDITATION CATEGORIES

	Approved by EFI-Commissioner	
Renal and/or Pancreatic transplantation:		
Recipient typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing (living type)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching (living type)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Other solid organ transplantation:		
Recipient typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody screening	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Antibody identification	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Donor typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Haematopoietic stem cell transplantation (HSCT):		
Donor registry typing	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Related transplantation	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Unrelated transplantation	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cord Blood typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Cross-matching	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Chimaerism and engraftment monitoring	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Disease association studies	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Transfusion	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
HPA typing	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
HNA antibodies	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
HPA antibodies	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

ACCREDITATION TECHNIQUES TYPING

Class I typing by:

CDC

Approved by EFI-Commissioner	

Yes No

Flow cytometry (HLA-B27)

Yes No

DNA low resolution

Yes No

DNA high resolution

Yes No

PCR-SSP

Yes No

PCR-SSO

Yes No

PCR-SBT

Yes No

NGS

Yes No

Class II typing by:

CDC

Yes No

DNA low resolution

Yes No

DNA high resolution

Yes No

PCR-SSP

Yes No

PCR-SSO

Yes No

PCR-SBT

Yes No

NGS

Yes No

MICA Typing:

Yes No

KIR Typing:

Yes No

ACCREDITATION TECHNIQUES ANTIBODIES

		Approved by EFI-Commissioner	
HLA Antibody testing by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Antibody identification by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Antibody cross-matching by:			
CDC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Flow cytometry	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
ELISA	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	
Bead array	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	